



















TVS APACHE RTR 160 4V BS VI SPECIFICATIONS

ENGINE

SI, 4 stroke, Oil cooled, SOHC, Fuel Injection

Engine capacity

Sport: 12.91 kW @ 9250 rpm (17.55 PS) Maximum Power

Urban/ Rain: 11.5 kW @ 8600 rpm (15.64 PS)

Sport: 14.73 Nm @ 7500 rpm Maximum Torque

Urban/ Rain: 14.14 Nm @ 7000 rpm Fuel supply system Fuel Injection: Bosch- Closed loop

4 valves Valve per cylinder Electric start

Ignition Power to weight Ratio 0.088 kW/kg

Cooling system Oil cooled with Ram Air Assist Muffler Bullpup exhaust design Gear box 5 speed gear box

Rear Suspension Mono Shock

Double cradle Split Synchro Stiff Frame

Front Suspension Telescopic Forks

FUEL TANK CAPACITY

12 L

DIMENSION

Height 1050 mm

1111 mm (with Visor)

Length 2035 mm Width 790 mm Wheelbase 1357 mm **Ground Clearance** 180 mm Saddle Height 800 mm

Electrical

Batterv 12V. 6Ah

Headlamp LED Headlamp with DRL

Tail Lamp LED

TYRE

Tyre (Front) 90/90-17 49P Tubeless

Tyre (Rear) 130/70 R17 M/C 62P Tubeless (Radial tyre)

BRAKE

Front 270 mm dia Petal Disc Rear 200 mm dia Petal Disc

Brake Fluid DOT 3 / DOT 4

WEIGHTS

Kerb Weight 146 kg

PERFORMANCE

Max speed Sport: 114 km/h

Urban/Rain: 103 km/h

FEATURES Ride Modes-Sport, Urban & Rain modes,

Headlamp with DRL/FPL, Rear radial tyre, Bluetooth connectivity, Coloured alloy wheels, Adjustable brake and clutch levers, Dual Tone

Seat with logo print



SPECIAL FEATURES

Ride Modes - Sport, Urban, Rain

3-Step Adjustable Brake and Clutch Levers

Coloured Alloy Wheels

Pearl White and Matte Black Colour



Above specifications are certified as per **III** vehicle norms.







TVS MOTOR COMPANY TVS

TVS Motor Company Limited, P.B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India. Telephone: +91 (4344) 276878 / 277311.













Visit www.tvsapache.com







#TheUnstoppable

Presenting the 2021 TVS Apache RTR 160 4V



TVS APACHE RTR 160 4V BS VI SPECIFICATIONS

ENGINE

SI, 4 stroke, Oil cooled, SOHC, Fuel Injection

Engine capacity

Maximum Power **Sport**: 12.91 kW @ 9250 rpm (17.55 PS)

Urban/ Rain: 11.5 kW @ 8600 rpm (15.64 PS)

Sport: 14.73 Nm @ 7250 rpm Maximum Torque Urban/ Rain: 14.14 Nm @ 7250 rpm

Fuel supply system Fuel Injection: Bosch- Closed loop

4 valves Valve per cylinder Electric start Ignition Power to weight Ratio 0.088 kW/kg

Cooling system Oil cooled with Ram Air Assist Muffler Twin pipe and twin barrel design

Gear box 5 speed gear box Rear Suspension Mono Shock

Frame Double cradle Split Synchro Stiff Frame

Front Suspension Telescopic Forks

FUEL TANK CAPACITY

DIMENSION

Height 1050 mm (without Visor) 1111 mm (with Visor)

2035 mm Length Width 790 mm Wheelbase 1357 mm **Ground Clearance** 180 mm Saddle Height 800 mm

Electrical

Batterv 12V. 6Ah MF

Headlamp LED Headlamp with DRL/position lamp

Tail Lamp LED

TYRE

90/90-17 49P Tubeless Tyre (Front)

Tyre (Rear) 110/80-17 57P Tubeless (160 4V Standard-Drum) 130/70 R17 M/C 62P Tubeless (Radial tyre)

BRAKE

Front 270 mm dia Petal Disc

Rear 130 mm dia Drum (160 4V Standard-Drum)

200 mm dia Petal Disc (Standard-Disc & Standard Top-End)

Brake Fluid DOT 3 / DOT 4

WEIGHTS

Kerb Weight 144 kg (160 4V Standard-Drum)

146 kg (Standard-Disc & Standard Top-End)

PERFORMANCE

Max speed Sport: 114 km/h Urban/Rain: 103 km/h

FEATURES

Standard-Drum Ride modes - Sport, Urban & Rain modes;

Headlamp with DRL/ FPL

Standard-Disc Ride modes - Sport, Urban & Rain modes; Headlamp with DRL/ FPL. Rear Radial tyre

Standard Top-End Ride modes - Sport, Urban & Rain modes; Headlamp with DRL/ FPL; Rear Radial tyre;

Bluetooth connectivity



AVAILABLE COLOURS







METALLIC BLUE



KNIGHT BLACK

Above specifications are certified as per **BS-VI** vehicle norms.



TVS MOTOR COMPANY TVS

TVS Motor Company Limited, P.B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India. Telephone: +91 (4344) 276878 / 277311.













#TVSApacheSeries (F) (F) (S) Visit www.tvsapache.com